






Welded socket

connection of measuring instrument

screwed socket G 1/2 B

with flush mounted diaphragm and O-ring seal

Data sheet D4-017-1, D4-020-1, D4-025

Order details

welded socket

MC1000-A1	Ø 32 mm	stainless steel mat.-no. 1.4404 (316L)
-----------	---------	--

Weld-in socket for process connection per INGOLD

connection of measuring instrument

process connection per INGOLD

code: DL8090, data sheet D5-024-3

Order details

weld-in socket

MZ2011-D2546	DN 25	Ø d2 = 42 mm	G 1 1/4"	h=46 mm	stainless steel
MZ2011-D5160	DN 50	Ø d2 = 68 mm	G 2"	h=60 mm	mat.-no. 1.4404 (316L)

Weld-in flange for DRD connection

connection of measuring instrument

DRD connection DN 50

code: DD4100, data sheet D5-024-4


Order details

weld-in flange

MZ2010	Ø 125 mm	stainless steel mat.-no. 1.4404 (316L)
MZ2010-HY		stainless steel mat.-no. 1.4404 (316L), hygienic version

accessories

MS2010-A10	sealing washers, material: PTFE gasket fiber-glassreinforced 65x50x1
MZ8100-A10	4 pieces hexagon screws M10x25 DIN 933 material stainless steel mat.-no. 1.4571 (316Ti)



Weld-in adapter


connection of measuring instrument

diaphragm seal HYGIENIC Tubus Ø 43 mm
with screwing DN 25

code: DL9014, data sheet D5-024-62

Order details

weld-in adapter		
MZ2040-HY	Ø 65 mm	stainless steel mat.-no. 1.4571 (316Ti) hygienic version



Weld-in adapter


connection of measuring instrument

diaphragm seal HYGIENIC Tubus, no gasket,
Ø 52 mm with screwing DN 40

code: DL9015, data sheet D5-024-63

Order details

weld-in adapter		
MZ2050-HY	Ø 79.5 mm	stainless steel mat.-no. 1.4571 (316Ti) ,hygienic version



Weld-in flange


connection of measuring instrument

diaphragm seal HYGIENIC Tubus Ø 76 mm
with loose or fixed clamping flange

code: DL8120/DL8130, data sheet D5-024-6

Order details

weld-in flange		
MZ2020-HY-E7	Ø 125 mm	stainless steel mat.-no. 1.4435 (316L), hygienic version
accessories		
MZ8100-A11	4 pieces hexagon screws M8x20 DIN 933, stainless steel mat.-no. 1.4301 (304)	




Weld-in flange

connection of measuring instrument


diaphragm seal HYGIENIC Tubus Ø 101 mm with clamp connection
code: DL8140, data sheet D5-024-61

Order details


weld-in flange		
MZ2030-HY-E1	Ø 152 mm	stainless steel mat.-no. 1.4404/ 1.4435 (316 L)
accessories		
MZ8110	mounting bracket	




welded socket
(welded in accordance
with operating instruction)




clamp-connection



tapered coupling
with union nut
DIN 11851



VARIVENT® connection
for VARINLINE® access unit



DRD-connection

Process adapter for HYGIENIC G1A

For device connection

Screw-in thread HYGIENIC G1A, no gasket

Code: DE2130, data sheet D5-024-7

Code: K80, data sheet D2-028-5, D4-019-6, D4-017-22, D4-016-2,
D4-017-42, D4-18-12

Order details

Process adapter for HYGIENIC G1A						
	design		DN	PN	Ø D/G	A/F
MC1510-K4010-E1	welded socket		38	-	50.0	-
MC1510-K1810-E3	clamp connection	ISO 2852	33,7/38 (1 1/2")	16	50.5	41
MC1510-K1811-E3			40/51 (2")	16	64.0	46
MC1510-K1810-E3		DIN 32676	32/40	16	50.5	41
MC1510-K1811-E3			50	16	64.0	46
MC1510-K1810-E3		Tri-Clamp	1 1/2"	16	50.5	41
MC1510-K1811-E3			2"	16	64.0	46
MC1510-K1120-E3	tapered coupling with union nut	DIN 11851	32	40	Rd.58x1/6	41
MC1510-K1130-E3			40	40	Rd.65x1/6	41
MC1510-K1140-E3			50	25	Rd.78x1/6	46
MC1510-K2030-E3	VARIVENT® connection for VARINLINE® access unit		Form N	25	68.0	46
MC1510-K2110-E3	DRD-connection		50	40	65.5	-

Material

E1 = Stainless steel mat.-no. 1.4404 (316L)

E3 = Stainless steel mat.-no. 1.4435 (316L)